





Gorilla

GORILLA HOSE CAN BE USED IN A WIDE VARIETY OF APPLICATIONS TO SAVE ON INVENTORY COSTS. IT HANDLES AIR, OIL, WATER, GASOLINE AND MANY OTHER CHEMICALS. IN ADDITION, IT HANDLES VEGETABLE OIL, ANIMAL FAT, ALKALIES, SALT SOLUTIONS, KEROSENE, PARAFFIN, GREASE, SPRAYS AND MANY SOLVENTS. HANDLES WATER UP TO 190° WITH OR WITHOUT CLEANING SOLVENTS. FIRE RETARDENT. COUPLED WITH MXM BRASS FITTINGS OR UNIVERSAL TWIST LOCK FITTINGS.

NUMBER	DESCRIPTION	
04-1821	1/4 X 25' 500LB YELLOW GORILLA MXM	 
04-1822	1/4 X 50 500LB YELLOW GORILLA MXM	
04-1823	1/4 X 75' 500LB YELLOW GORILLA MXM	
04-1824	1/4 X 100' 500LB YELLOW GORILLA MXM	
04-1801	3/8 X 25' 500LB YELLOW GORILLA MXM	

04-1812	1" X 100' 500LB YELLOW GORILLA MXM	
04-1578	1/4" X 500' 500LB YELLOW GORILLA	
04-1579	3/8" X 500' 500LB YELLOW GORILLA	
04-1580	1/2" X 500' 500LB YELLOW GORILLA	
04-1582	3/4" X 500' 500LB YELLOW GORILLA	
04-1583	1" X 500' 500LB YELLOW GORILLA	