

Brass Barbs

MALE BRASS BARBS

NUMBER	BARB	NPT
07-1255	1/8"	1/8"
07-1256	3/16"	1/8"
07-1257	3/16"	1/4"
07-1258	1/4	1/8
07-1259	1/4	1/4
07-1260	1/4	3/8
07-1261	5/16	1/8
07-1262	5/16	1/4
07-1263	3/8	1/8
07-1264	3/8	1/4
07-1265	3/8	3/8
07-1266	3/8	1/2
07-1267	1/2	1/4
07-1268	1/2	3/8
07-1269	1/2	1/2
05.155.1	5.10	2.10
07-1574 07-1575	5/8 5/8	3/8
07-1373	5/8	3/4
07-1271	3/4	1/2
07-1272	3/4	3/4
07-1273	1	3/4
07-1274	1	1

	FEMAL	FEMALE BRASS BARBS SWIVEL		
07-1275	1/8	1/8		
07-1276	3/16	1/8		
07-1277	3/16	1/4		
07-1278	1/4	1/8		
07-1279	1/4	1/4		
07-1280	1/4	3/8		
07-1281	5/16	1/4		
07-1282	3/8	1/4		
07-1283	3/8	3/8		
07-1284	3/8	1/2		
07-1285	1/2	3/8		
07-1286	1/2	1/2		
07-1287	3/4	3/4		
	HOSE	MEND	DER	
07-1288	1/4X1/4			
07-1289	3/8X3/8			
07-1290	1/2X1/2			
07-1291	3/4X3/4			

Brass Hose Barb to Male Pipe Fittings Swivel Fittings

RED PVC with spiral synthetic yarn, one layer longitudinal synthetic yarn

General Applications

Used on hose assemblies in dynamic environments where s live swivel is needed.

Used on male x male end configurations for installation purposes.

STANDARD DIMENSIONS:

1/4" ID to 3/4" ID

NUMBER	DESCRIPTION	
07-1259S	1/4" x 1/4" MPS	
07-1264S	3/8" x 1/4" MPS	
07-1265S	3/8" x 3/8" MPS	
07-1268S	1/2" x 3/8" MPS	
15-1269S	1/2" x 1/2" MPS	
07-1272S	3/4" x 3/4" MPS	

Brass Push-on Hose Barb Fittings

RED PVC with spiral synthetic yarn, one layer longitudinal synthetic yarn

General Applications

No hose clamps or ferrules are needed. Push-on fittings will properly grip push-on hose only when pushed all the way in, with the cut end of the hose completely concealed by the plastic cap.

STANDARD DIMENSIONS:

1/4" ID to 3/4" ID

NUMBER	DESCRIPTION	
40-2249	1/4" x 1/4" MPT	
40-2250	3/8" x 1/4" MPT	
40-2251	3/8" x 3/8" MPT	
40-2252	1/2" x 3/8" MPT	
40-2253	1/2" x 1/2" MPT	
40-2254	5/8" x 3/4" MPT	
40-2255	3/4" x 3/4" MPT	

NUMBER	DESCRIPTION	
40-2256	1/4" x 1/4" FJIC	
40-2356	1/4" x 3/8" FJIC	
40-2257	3/8" x 3/8" FJIC	
40-2258	1/2" x 1/2" FJIC	
40-2259	5/8" x 1/2" FJIC	
40-2260	5/8" x 5/8" FJIC	